

PRODUCT INFORMATION



# **AQUA BLUE 50**CLEANER / DEGREASER

## Water Based Cleaner; Concentrate; Can Be Further Diluted With Water

## **Product Description**

ASV® Aqua Blue 50 is a multipurpose, non-abrasive, aqueous, biodegradable, cleaner / degreaser which can be further diluted with water to meet various cleaning applications.

It aggressively attacks and removes grease, oil, dirt, sludge and other light contaminants and allows to be rinsed off with water.

It does not contain any ozone depleting chemicals or chlorinated solvents and equals performance of solvent-based cleaners.

## **Applications**

Suitable for mechanical components washing and degreasing applications.

#### **Benefits**

- Removes oil, grease, dirt & sludge deposits
- Biodegradable & leaves no residue
- Multipurpose foaming formula
- Non-flammable & non-abrasive
- Equals performance of solvent based degreasers

Recommended Dilution Ratios	ASV® Aqua Blue 50 : Water
Heavy duty cleaning	1:0 to 1:5
Medium duty cleaning	1:10 to 1:30
Light duty / Pressure Cleaning	1: 30 to 1:100

Dilution levels will vary subject to the type of surface, contaminant and contamination level of the surface being cleaned. Start at higher concentrations of ASV® Aqua Blue 50 in water and work up to lower concentrations till satisfactory performance and cleaning is obtained.

#### **Directions for Use**

Dilute the product by adding water to it. Stir mechanically with

a stirrer if required. Apply product by brush, swab or by dipping components into the cleaner solution. Allow time to penetrate contaminants and then rinse off with water. For heavily soiled parts, use a wire brush or an abrasive to remove excesses. Always clean the surface thoroughly with water to remove any residues left behind and never allow to dry on any surface. Test for compatibility on soft metals and plastic surfaces by checking on a small area.



PRODUCT INFORMATION



## **AQUA BLUE 50**CLEANER / DEGREASER

TECHNICAL PROPERTY	
Parameter	Value
Туре	Cleaner
Appearance	Liquid
Color	Blue
Odor	Typical
Density	1.0-1.10 gm/cc
Flash Point	Nil
Vapor Density	NA
рН	10.5-12.5
Evaporation Rate	That of water
Solubility in Water	Complete

#### General

Use in well ventilated areas. Avoid continuous breathing of vapor and spray mist. In closed areas or areas with poor ventilation, use respiratory protection. For complete details on safety, short and long term exposure, refer to this product's safety data sheet (SDS).

#### Disposal

All used and unused product should be disposed of in accordance with state regulations.

#### Handling

Read instructions on the container label of the product before use. The product safety data sheet (SDS) contains the relevant information regarding personal protective equipment, safe use, physical and health hazards. Safety data sheet is available from ASV or your local ASV distributor.

Manufactured by ASV Multichemie Private Limited W 46, TTC Industrial Area, MIDC Rabale, Navi Mumbai 400 701 INDIA Contact: +91 22 2764 2516 Email: info@asvmultichemie.com

### **Available Packaging**

5 liter, 30 liter

#### **Shelf Life**

12 months from date of manufacture in sealed condition.

#### **Limited Warranty**

The information and data contained in this sheet is accurate to the best of our knowledge or is obtained from sources, tests or experiences believed by us to be reliable and accurate. User is responsible for determining whether recommended ASV product is fit for a particular purpose. All products should be tested for suitability on a particular application prior to actual use. We make no representations of any kind. Data offered without warranty. Product manufactured is for industrial use only.

#### WWW.ASVMULTICHEMIE.COM

ASV® MOLYSULF® PENETROIL® SHINY GALVA® VALV-KOTE® BRIGHT ZINK® SPEZET® MOLYCHEM® TRIBOSULF® are Registered Trademarks of ASV MULTICHEMIE PRIVATE LIMITED, INDIA.
ALL DATA OFFERED WITHOUT LIABILITY OR WARRANTY.